

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A slider for a slide fastener, the slider having a member for latching the slider to a co-operating slider, wherein the slider has a slider body portion which is slidable over elements of a slide fastener to engage and disengage the elements, and a latch body portion integrally formed with ~~incorporating~~ the latching member, the latch body portion being removably mounted on the slider body portion.
2. (Original) A slider as claimed in claim 1, wherein the latch body portion includes a resilient latching member which is resiliently deformed on engagement and disengagement with the co-operating slider.
3. (Canceled)
4. (Currently Amended) A slider as claimed in claim ~~3~~ 1, wherein the latch body is connected to the slider portion by a form locking connection.
5. (Currently Amended) A slider as claimed in claim 1, wherein the slider body portion has a crown for receiving a puller, the crown being mounted at one end on a surface of the slider body portion, and the latch body portion co-operating with the crown to hold the latch body portion on the slider body portion.
6. (Currently Amended) A slider as claimed in claim 5, wherein the latch body portion engages with the crown at the said one end.
7. (Currently Amended) A slider as claimed in claim 6, wherein the other end of the crown is spaced from the surface of the slider body portion, and the latch body portion is sandwiched between the other end of the crown and the surface of the latch body portion.

8. (Currently Amended) A slider as claimed in claim 7, wherein the other end of the crown engages in a recess in the latch body portion.

9. (Original) A slider as claimed in claim 1, wherein the slider body portion is integrally formed.

10. (Canceled)

11. (Original) In combination, a slider as claimed in claim 1, and a co-operating slider, the co-operating slider having a slide body portion and a separately formed latch body portion for co-operating with the other latch body portion.

12. (Currently Amended) A slide fastener comprising:

a first slider and a second slider arranged to be slidable on a pair of interlocking stringers so as to open the fastener when separated and close the fastener when brought together;

a first receiving portion disposed on the first slider;

a first resilient latching member disposed on the second slider and engageable with the first receiving portion;

a second receiving portion disposed on one of the sliders; and

a second resilient latching member disposed on the other of the sliders and engageable with the second receiving portion;

wherein the first and second receiving portions are arranged to engage with the first and second latching members respectively, to releasably latch the first and second sliders together, and the latching members and receiving portions are arranged to be disengaged by lateral movement of the latching members, to unlatch the first and second sliders ~~so unlatching the sliders~~ ; and

wherein one of the first or second sliders comprises a slider body portion slidable on the stringers and a latch body portion integrally formed with the first or second latching member, the latch body portion being formed separately from and removably attached to the slider body portion.

13. (Original) A slide fastener according to claim 12, further comprising:
a lead member on one of sliders;
a guide portion on the other slider, the guide portion arranged to guide the lead member when the first and second sliders are brought together, wherein the lead member and guide portion align the first and second sliders and inhibit lateral movement therebetween.
14. (Canceled)
15. (Original) A slide fastener according to claim 12, wherein at least one of the sliders is formed as an integral single piece.
16. (Canceled)
17. (Currently Amended) A slider for a slide fastener, the slider having a slider body portion which is slidable over elements of a slide fastener to engage and disengage the elements, and a surface body portion removably mounted on an upper surface of the slider body portion.
18. (Original) A slider as claimed in claim 17, wherein the surface body portion is decorative.
19. (Currently Amended) A slider as claimed in claim 17, wherein the slider body portion has a crown for receiving a puller, the crown being mounted at one end on a surface of the slider body portion, and the surface body portion ~~latch body~~ co-operates with the crown to hold the surface body portion ~~latch body~~ on the slider body portion.
20. (Original) A slider as claimed in claim 19, wherein the surface body portion grips the crown at the said one end.

21. (Original) A slider as claimed in claim 20, wherein the other end of the crown is spaced from the surface of the slider body portion, and the surface body portion is sandwiched between the other end of the crown and the surface of the surface body portion.

22. (Original) A slider as claimed in claim 21, wherein the other end of the crown engages in a recess in the surface body portion.

23. (Original) A slider as claimed in claim 17, wherein the slider body portion is integrally formed.

24. (Original) A slider as claimed in claim 17, wherein the surface body portion is integrally formed.

25. (Canceled)

26. (New) A slider for a slide fastener, the slider having a slider body portion which is slidable over elements of a slide fastener to engage and disengage the elements, and a surface body portion mounted on an upper surface of the slider body portion, the slider body portion having a crown for receiving a puller, the crown being mounted at one end on a surface of the slider body portion, and the surface body portion co-operates with the crown to hold the surface body portion on the slider body portion, the surface body portion being adapted to grip the crown at the one end, the other end of the crown being spaced from the surface of the slider body portion, the surface body portion being sandwiched between the other end of the crown and the surface of the surface body portion, and the other end of the crown engages in a recess in the surface body portion.

27. (New) The slider of claim 26, wherein the surface body portion is removably mounted on an upper surface of the slider body portion.

28. (New) The slider of claim 27, wherein the surface body portion is decorative.

29. (New) A slider for a slide fastener, comprising:

- a slider member for latching to a co-operating slider,
- a slider body portion which is slidable over elements of a slide fastener to engage and disengage the elements,

- a latch body portion incorporating the latching member, the latch body portion being mounted on the slider body portion, the latch body portion including a resilient latching member which is resiliently deformed on engagement and disengagement with the co-operating slider,

- wherein the slider body portion has a crown for receiving a puller, the crown being mounted at one end on a surface of the slider body portion, and the latch body portion co-operating with the crown to hold the latch body portion on the slider body portion,

- wherein the latch body portion engages with the crown at the said one end.

- wherein the other end of the crown is spaced from the surface of the slider body portion, and the latch body portion being sandwiched between the other end of the crown and the surface of the latch body portion, and

- wherein the other end of the crown engages in a recess in the latch body portion.

30. (New) The slider of claim 29, wherein the latch body portion is integrally formed with the latching member, the latch body portion being removably mounted on the slider body portion.